

Bibliography

- Aadland, L.P. 1993. Stream habitat types and their relationship to flow. *North American Journal of Fisheries Management*. 13:790-806.
- Aadland, L.P., T.M. Koel, W.G. Franzin, K.W. Stewart, and P. Nelson. 2005. Changes in fish assemblage structure of the Red River of the North. Pages 293-321 in *Historical Changes in Large River Fish Assemblages of the Americas*. J. N. Rhine, R.M. Hughes, and B. Calamusso, editors. American Fisheries Society Symposium 45, Bethesda, Maryland.
- Aadland, L.P. and A. Kuitenun. 2006. Habitat suitability criteria for stream fishes and mussels of Minnesota. *Special Publication 162*.
- Abt, S.R., R.J. Wittler, J.F. Ruff, D.L. LaGrone, M.S. Khattak, J.D. Nelson, N.E. Hinkle, and D.W. Lee. 1988. Development of riprap design criteria by testing in flumes: Phase II; Followup Investigation, Vol 2, NUREG/CR-4651, ORNL/TM-10100/V2, prepared for the US Nuclear Regulatory Commission, Washington D.C.
- ACOE. 1991. Hydraulic design of flood control projects. *Engineers Report 1110-2-1601*. U.S. Army Corps of Engineers. Washington, D.C.
- ACOE. 1994. Channel stability assessment for flood control projects. U.S. Army Corps of Engineers. *Engineer Manual EM 1110-2-1418*.
- ACOE. 1998. Missouri River Mainstem Reservoirs. U.S. Army Corps of Engineers. 36 pp.
- Al Bakri, D., and M. Chowdhury. 2006. Internal nutrient flux in an inland water supply reservoir, New South Wales, Australia. *Lakes & Reservoirs: Research and Management*. 11:39-45.
- Annear, T. I. Chisholm, H. Beecher, A. Locke, and 12 other authors. 2004. *Instream flows for riverine resource stewardship*, revised edition. Instream Flow Council, Cheyenne, WY.
- ASCE. 2005. *Infrastructure Report Card: Dams*. American Society of Civil Engineers. www.asce.org/reportcard/2005
- Atkinson, E. 1996. The feasibility of flushing sediment from reservoirs. Report OD 137. HR Wallingford. Wallingford, England
- Auer, N.A. 1996. Importance of habitat and migration to sturgeons with emphasis on lake sturgeon. *Canadian Journal of Fisheries and Aquatic Sciences*. 53 (Suppl. 1): 152-160.
- Barr. 2000. Rapidan Dam Feasibility Study Dam Removal Option. Blue Earth County, Minnesota Pollution Control Agency, Minnesota Department of Natural Resources.
- Bernard J. M and T. A. Iivari (2000) Sediment Damages and Recent Trends in the United States. *International Journal of Sediment Research* 15(2): 135-148.
- Beeman, J.W., D.A. Venditti, R.G. Morris, D.M. Gadomski, B.J. Adams, S.P. Vanderkooi, T.C. Robinson, and A.G. Maule. 2003. Gas bubble disease in resident fish below Grand Coulee Dam. U.S. Geological Survey.
- Beiningen, K.T. and W.J. Ebel. 1970. Effect of John

- Day Dam on dissolved nitrogen concentrations and salmon in the Columbia River, 1968. Transactions of the American Fisheries Society. 100:664-671.
- Bellgraph, B.J. 2006. Competition potential between sauger and walleye in non-native sympatry: historical trends and resource overlap in the middle Missouri River, Montana. M.S. Thesis. Montana State University. Bozeman, Montana.
- Bezlova, A. 2007. Three Gorges Dam May Displace Millions More. Inter Press Service.
- Bickford, S.A. and J.R. Skalski. 2000. Reanalysis and interpretation of 25 years of Snake-Columbia River juvenile salmonids survival studies. North American Journal of Fisheries Management 20:53-68.
- Bitterlich, G. and E. Gnaiger. 1984. Phytoplanktivorous or omnivorous fish? Digestibility of zooplankton by silver carp, *Hypophthalmichthys molitrix* (Val.) Aquaculture 40: 261-263.
- Boudou, A., R. Maury-Brachet, M. Coquery, G. Durrieu, and D. Cossa. 2005. Synergic effect of gold mining and damming on mercury contamination in fish. Environmental Science and Technology. 39(8): 2448-2454.
- Boyd, P.M., C.T. Yang, J. Ahn, J.W. Garrison, D.B. Pridal, J.I. Remus, and M.A. Lien. 2008. GSTARS3-HTC Model development and evaluation as part of the Lewis and Clark Lake Sediment Management Study. U.S. Army Corps of Engineers Omaha District and Colorado State University.
- Brookes, A. 1988. Channelized Rivers: Perspectives For Environmental Management. John Wiley & Sons, Chichester, England.
- Burke, J.S., D.R. Bayne, and H. Rea. 1986. Impact of silver and bighead carps on plankton communities in catfish ponds. Aquaculture 55: 59-68.
- Cada, G.F. 2001. The development of advanced hydroelectric turbines to improve fish passage survival. Fisheries. 26(9) 14-23.
- Chin, A. 2002. The periodic nature of step-pool mountain streams. American Journal of Science. 302: 144-167.
- Cui, Y., C. Braudrick, W.E. Dietrich, B. Cluer, and G. Parker. 2006. Dam removal express assessment models (DREAM). Part 2: Sample runs/sensitivity tests. Journal of Hydraulic Research, 44(3): 308-323.
- DeGrandchamp, K.L., J.E. Garvey, and R.E. Colombo. 2008. Movement and habitat selection by invasive Asian carps in a large river. Transactions of the American Fisheries Society. 137: 45-56.
- Desowitz, R.S. 2002. Federal bodysnatchers and the New Guinea Virus. Tales of People and Politics. W.W. Norton & Company
- Dixon, T.H. 2008. Earth scientists and public policy: have we failed New Orleans. EOS. 89(10) 96.
- Domenici, P. and R. W. Blake. 1997. The kinematics and performance of fish fast-start swimming. The Journal of Experimental Biology 200:1165-1178.
- Ebersole, J.L., W.J. Liss, and C.A. Frissell. 1997. Restoration of stream habitats in the western United States: restoration as a re-expression of habitat capacity. Environmental Management 21:1-14.
- FAO, 2002. Fish passes – design, dimensions and monitoring. Food and Agriculture Organization of the United Nations with Deutscher Verband für Wasserwirtschaft und Kulturbau e. V. (DVWK), Rome.
- FEMA. 1999. Federal Emergency Management Agency, National Dam Safety Program, <http://www.fema.gov/mit/ndspweb.htm>.
- FERC. 2003. Technical reasons for the release of Silver Lake Reservoir, May 14-15, 2003. FERC Independent Consultants Review Panel, Silver Lake Dam. Report Number 2.
- Fearnside, P.M. 1997. Greenhouse-gas emissions from Amazonian hydroelectric reservoirs: The

- example of Brazil's Tucuruí Dam as compared to fossil fuel alternatives'. *Environmental Conservation*. 24: 64-75.
- Fearnside, P.M. 1999. Social and environmental impacts of hydroelectric dams in Brazilian Amazonia. National Institute for Research in Amazonia. Manaus, Brazil.
- Fortin, P. 2003. Hydro and fisheries in Canada: innovative fish friendly solutions. *Hydro and Dams*. 2:88-90.
- Frank, S.M. 1988. The cause of the Johnstown Flood. *Civil Engineering*. 63-66.
- Frissell, C.A., W.J. Liss, R.K. Nawa, R.E. Gresswell, and J.L. Ebersole. 1997. Measuring the failure of salmon management. Pages 411-444 in D.J. Stouder, P.A. Bisson, and R.J. Naiman, editors. *Pacific salmon and their ecosystems: status and future options*. Chapman and Hall, New York, New York, USA.
- Frissell, C.A., and S.C. Ralph. 1998. Stream and watershed restoration. Pages 599-624 in Naiman, R.J. and R.E. Bilby, editors. *River Ecology and Management: lessons from the Pacific coastal ecoregion*. Springer-Verlag, New York, New York, USA.
- Fuller, B. and R.S. Bernard. 2000. Numerical Investigation of changes in water-surface elevation induced by modification of channel geometry Fargo South Dam. ERDC Waterways Experiment Station. Vicksburg, Missouri.
- Gaboury, M.N., R.W. Newbury, and C.M. Erickson. 1994. Pool and riffle fishways for small dams. Manitoba Natural Resources Fisheries Branch.
- Gough, B.M., editor. 1988. *The journal of Alexander Henry the Younger 1799-1814. Volume One*. The Champlain Society, Toronto, Ontario.
- Gresh, T., J. Lichatowich, and P. Schoonmaker. 2000. An estimation of historic and current levels of salmon production in the Northeast Pacific ecosystem: evidence of a nutrient deficit in the freshwater systems of the Pacific Northwest. *Fisheries* 25: 15-21.
- Hadish, G.A. and M. Braster. 1994. Stream stabilization in Western Iowa. Iowa Department of Transportation. Highway Division Report, 1994.
- Hegrenes, S.G. 1992. Age, growth, and reproduction of channel catfish in the Red River of the North. Master's thesis. University of North Dakota, Grand Forks.
- Hilton, J.D. 2008. U.S. Army Corps of Engineers dredging program. *Sea Technology*.
- Holden, P.B., and C.B. Stalnaker. 1975. Distribution and abundance of mainstream fishes of the Middle and Upper Colorado River Basins, 1967-1973. *Transactions of the American Fisheries Society*. 104: 217-231.
- Huberty, G.L. 2005. Red Lake River fisheries population assessment, summer 2005, reaches one and two report, river mile 0.0 to 125.7. Minnesota Department of Natural Resources. Section of Fisheries. Study 3. St. Paul, Minnesota.
- Huberty, G.L. 2001. Red Lake River fisheries population assessment, summer 2000, reaches one and two report, river mile 0.0 to 125.7. Minnesota Department of Natural Resources, Division of Fisheries, Study 3. St. Paul, Minnesota.
- Huberty, G.L. 1996. Stream fish population assessment of the Red Lake River from its mouth upstream to Thief River Falls, reaches one, two, and three, Polk, Red Lake, and Pennington counties, June 6-10 and September 6-12, 1994. Minnesota Department of Natural Resources, Division of Fish and Wildlife, Section of Fisheries, St. Paul, Minnesota.
- Hutcheson, E. 1989. *Floods of Johnstown: 1889-1936-1977*. Cambria County Tourist Council. Cambria, Pennsylvania.
- Julien, P.Y. and C.W. Vensel. 2005. Review of sedimentation issues on the Mississippi River. DRAFT report presented to the UNESCO:ISI. Colorado State University
- Jaeger, M.E. 2004. An empirical assessment of

- factors precluding recovery of sauger in the lower Yellowstone River: movement, habitat use, exploitation, and entrainment. M.S. Thesis. Montana State University. Bozeman, Montana.
- Johnson, P.T., J.D. Olden, M.J. Vander Zanden. 2008. Dam invaders: impoundments facilitate biological invasions into freshwaters. *Frontiers in Ecology and the Environment*. 6(7): 357-363.
- Juracek, K.E. 2001. Channel-bed elevation changes downstream from large reservoirs in Kansas. U.S. Geological Survey. Water-Resources Investigations Report 01-4205.
- Kromer Baker, K. and A. L. Baker. 1981. Seasonal succession of the phytoplankton in the Upper Mississippi River. *Hydrobiologia*. 83:295-301.
- Karim, F. and T.E. Croley. 1979. Sedimentation in the Red Rock Reservoir. Iowa Institute of Hydraulic Research. Prepared for the U.S. Army Corps of Engineers. Limited Distribution Report No. 64.
- Katopodis, C. and L. Aadland. 2006. Effective dam removal and river channel restoration approaches. *International Journal of River Basin Management*. 4(6) 1–16.
- Kesel, R.H. 1989. The role of the Mississippi River in wetland loss in Southeastern Louisiana, USA. *Environmental Geology and Water Sciences*. Springer Verlag, 13(3): 183-193.
- Lane, E.W. 1955. Design of stable channels. *American Society of Civil Engineers Transactions*. 120:1234-1279.
- Lawson, M.L. 1982. *Dammed Indians*. University of Oklahoma Press.
- Leopold, L.B., M.G. Wolman, and J.P. Miller. 1964. *Fluvial Processes in Geomorphology*. Dover Publications, Inc. New York.
- Lima, I.B., F.M. Ramos, J.C. Carvalho, L.A. Bambace, J.H. Ometto, R.R. Rosa, E.A. Mazzi, F.F. Maria, L. Rasera, M.L. Evelyn, and M. Novo. 2007. Anthropogenic flooded lands and atmospheric methane. *Ecohydrology Hydrobiology* 7:11-21.
- Lutz, D.S. 1995. Gas supersaturation and gas bubble trauma in fish downstream of a Midwestern reservoir. *Transactions of the American Fisheries Society*. 124:423-436.
- Matzinger, A., R. Pieters, K.I. Ashley, G.A. Lawrence, and A. Wuest. 2007. Effects of impoundment on nutrient availability and productivity in lakes. *Limnology and Oceanography*. 52(6): 2629-2640.
- Mclvor, A.L. 2004. Freshwater mussels as biofilters. Ph.D. thesis. Department of Zoology, University of Cambridge.
- Meade, R.H. 1995. Setting: geology, hydrology, sediments, and engineering of the Mississippi River in, *Contaminants in the Mississippi River*. U.S. Geological Survey Circular 1133.
- Mitrovic, S.M., B.C. Chessman, L.C. Bowling, and R.H. Cooke. 2006. Modelling suppression of cyanobacterial blooms by flow management in a lowland river. *River Research and Applications*. 22:109-114.
- Mistak, J. 2004. Dead River damage assessed. *The Dead River Update*. 1(1):1-2
- Mooney, D.M., C.L. Holmquist-Johnson, and S. Broderick. 2007. Rock ramp design guidelines. U.S. Department of the Interior. Denver, Colorado.
- Moore, J.W. and D.E. Schindler. 2004. Nutrient export from freshwater ecosystems by anadromous sockeye salmon (*Oncorhynchus nerka*). *Canadian Journal of Fisheries and Aquatic Sciences*. 61(9): 1582-1589.
- Mosindy, T. and J. Rusak. 1991. An assessment of lake sturgeon populations in Lake of the Woods and the Rainy River 1987-90. *Lake of the Woods Fisheries Assessment Unit Report 1991:01*. Ontario Ministry of Natural Resources.
- Mueller, G.A., P.C. Marsh, and W.L. Minckley. 2005. A legacy of change: The Lower Colorado River, Arizona-California-Nevada, USA, and Sonora-Baja California Norte, Mexico. *American Fisheries Society Symposium*. 45: 139-156.
- Mufson, S. 1997. The Yagtz Dam: Feat or Folly? *The Washington Post Company*

- Newbury, R.W. and M.N. Gaboury. 1993. Stream analysis and fish habitat design. Newbury Hydraulics Ltd. Gibsons, British Columbia, Canada.
- NRCS. 2000. A report to congress on aging watershed infrastructure. United States Department of Agriculture. Natural Resources Conservation Service.
- Parasiewicz P., J. Eberstaller, S. Weiss, S. Schmutz. 1998. Conceptual guidance for nature-like bypass channels, In: M. Jungwirth, S. Schmutz, S. Weiss (eds), *Fish Migration and Fish Bypasses*, Fishery News Books, Blackwell Science, Oxford.
- Powers, K. 2005. Aging infrastructure: dam safety. CRS Report for Congress. The Library of Congress.
- Qinghua, Z. and Z. Wenhao. 1989. Soil erosion in the Yellow River basin and its impacts on reservoir sedimentation and the lower Yellow River. IAHS Publication number 185.
- Rosenberg, D.M., F. Berkes, R.A. Bodaly, R.E. Hecky, C.A. Kelly and J.W.M. Rudd. 1997. Large-scale impacts of hydroelectric development. *Environ. Rev.* 5: 27-54.
- Rosgen, D.L. 1994. A classification of natural rivers. *Catena* 22:169-199.
- Rosgen, D.L. 1996. Applied river morphology. Wildland Hydrology. Pagosa Springs, Colorado.
- Rosgen, D.L. 2007. Rosgen Geomorphic Channel Design. Chapter 11 in Part 654 Stream Restoration Design National Engineering Handbook. USDA Natural Resources Conservation Service.
- Rosgen, D.L. 2008. Discussion – “Critical evaluation of how the Rosgen classification and associated ‘Natural Channel Design’ methods fail to integrate and quantify fluvial processes and channel responses.” *Journal of the American Water Resources Association.* 44(2):1-11.
- Schoeneman, D.E., R.T. Pressey, and C.O. Junge. 1961. Mortalities of downstream migrant salmon at McNary Dam. *Transactions of the American Fisheries Society.* 90:58-72.
- Schumm, S.A., M.D. Harvey, and C.C. Watson. 1984. Incised channels: morphology, dynamics, and control. Water Resources Publications, Littleton, Colorado.
- SEH. 1997. Removal of the Mill Pond Dam on the Pomme de Terre River. Environmental Assessment Worksheet. Appleton, Minnesota.
- Simon, A. and A. J. Collison. 2002. Quantifying the mechanical and hydrologic effects of riparian vegetation on streambank stability. *Earth Surface Processes and Landforms.* 27:527-546.
- Simon, A., M. Doyle, M. Kondolf, F.D. Shields Jr., B. Rhoads, and M. McPhillips. 2007. Critical evaluation of how the Rosgen classification and associated “Natural Channel Design” methods fail to integrate and quantify fluvial processes and channel response. *Journal of the American Water Resources Association.* 43(5):1117-1131.
- Stainbrook, K.M., J.M. Dettmers, and T.N. Trudeau. Asian carp survey: results summary report. Illinois Natural History Survey.
- Stancill, W., G.R. Jordan, and C.P. Paukert. 2002. Seasonal migration patterns and site fidelity of adult paddlefish in Lake Francis Case, Missouri River. *North American Journal of Fisheries Management.* 22:815-824.
- Stevenson, D. 1979. Rockfill in hydraulic engineering. Amsterdam, Netherlands: Elsevier.
- Stillwater Sciences, 2002. Sediment transport modeling following the removal of Marmot Dam with 125,000 and 300,000 cubic yards of dredging prior to dam removal. Technical Memorandum to Portland General Electric, Portland, Oregon.
- Tarzwel, C.M. Changing the Clinch River into a trout stream. *Transactions of the American Fisheries Society.* 68: 230-233.
- Valdez, R.A. and R.T. Muth. 2005. Ecology and conservation of native fishes in the Upper Colorado River Basin. *American Fisheries Society Symposium* 45:157-204.

Webster, 2001. Webster's II New College Dictionary. Houghton Mifflin Company. Boston.

White, W.R. 2008. Flushing of sediments from reservoirs. World Commission on Dams.

Williams, G.P. and M.G. Wolman. 1984. Downstream effects of dams on alluvial rivers. U.S. Geological Survey Professional Paper 1286. U.S. Government Printing Office, Washington, DC.

Workman, J.G. 2007. How to fix our dam problems. Issues in Science and Technology. www.issues.org/24.1/workman.html

Yi Si. 1998. "The worlds most catastrophic dam failures: The 1975 Collapse of the Banqiao and Shimantan Dams", in Dai Qiing, The River Dragon Has Come! M.E. Sharpe, New York.

Yoshinaga, I., T. Hitomi, A. Miura, E. Shiratani, and T. Miyazaki. 2006. *Cyanobacterium Microcystis* bloom in a eutrophicated regulating reservoir. JARQ. 40(3): 283-289.